

# The latex-lab-mathpkg code\*

L<sup>A</sup>T<sub>E</sub>X Project

May 8, 2026

## Abstract

## Contents

<b>1</b>	<b>Introduction</b>	<b>1</b>
<b>2</b>	<b>The Implementation</b>	<b>1</b>
2.1	File declaration . . . . .	1
2.2	breqn . . . . .	1
2.3	cases . . . . .	2
2.4	bm . . . . .	2
2.5	amsmath timing . . . . .	2
	<b>Index</b>	<b>3</b>

## 1 Introduction

This file implements adaption to various math packages needed for the tagging project.

## 2 The Implementation

<sup>1</sup> `<@=math>`

<sup>2</sup> `<*kernel>`

### 2.1 File declaration

<sup>3</sup> `\ProvidesFile{latex-lab-mathpkg.ltx}`

<sup>4</sup> `[2026-04-25 v0.1d mathpkg adaption]`

---

\*

## 2.2 breqn

```

5 \AddToHook{package/breqn/after}{
6   \RegisterMathEnvironment{dmath}
7   \RegisterMathEnvironment{dgroup*}
8   \AddToHook{env/dmath/begin}{\tagpdfparaOff}
9   \AddToHook{env/dgroup*/begin}{\tagpdfparaOff}
10 }

```

## 2.3 cases

Force loading of amsmath before cases.

```

11 \AddToHook{package/cases/before}{\RequirePackage{amsmath}}
12 \AddToHook{package/cases/after}{
13   \RegisterMathEnvironment{subnumcases}
14 }

```

## 2.4 bm

Similar to the amsbsy code in latex-lab-amsmath for `\pmb` we need to mark up copies as artifact (with mathml-SE this probably has the same problem as `\pmb`):

```

15 \ExplSyntaxOn
16 \cs_new:Npn\__math_patch_bm_pmb:
17 {
18   \NewTaggingSocket{bm/pmb}{2}
19   \NewTaggingSocketPlug{bm/pmb}{default}
20   {
21     \tag_mc_end:\tag_mc_begin:n{artifact}
22     \tag_mc_reset_box:N##1
23     ##2
24     \tag_mc_end:
25     \tag_mc_begin:n{
26   }
27   \AssignTaggingSocketPlug{amsbsy/pmb}{default}
28   \def\bm@pmb@##1##2##3{ {%
29     \hbox_set:Nn\l__math_tmpa_box{$\m@th##1##3$}%
30     \dimen@##2\wd\tw@
31     \rlap{\box_use:N\l__math_tmpa_box}%
32     \UseTaggingSocket{bm/pmb}{\l__math_tmpa_box}
33     {
34       \kern\dimen@
35       \raise1.5\dimen@\rlap{\box_use:N\l__math_tmpa_box}%
36       \kern\dimen@
37       \box_use_drop:N\l__math_tmpa_box
38     }
39   }
40   \AddToHook{package/bm/after}
41   { \__math_patch_bm_pmb: }
42   \ExplSyntaxOff

```

## 2.5 amsmath timing

These packages error or lose their function if loaded before amsmath.

```

43 \AddToHook{package/accents/before}{\RequirePackage{amsmath}}
44 \AddToHook{package/cleveref/before}{\RequirePackage{amsmath}}
45 \AddToHook{package/esint/before}{\RequirePackage{amsmath}}
46 \AddToHook{package/grmath/before}{\RequirePackage{amsmath}}
47 \AddToHook{package/mathabx/before}{\RequirePackage{amsmath}}
48 \AddToHook{package/wasysym/before}{\RequirePackage{amsmath}}

49 </kernel>

```

# Index

The italic numbers denote the pages where the corresponding entry is described, numbers underlined point to the definition, all others indicate the places where it is used.

<b>A</b>		<b>N</b>	
<code>\AddToHook</code> .....	5, 8, 9, 11, 12, 40, 43, 44, 45, 46, 47, 48	<code>\NewTaggingSocket</code> .....	18
<code>\AssignTaggingSocketPlug</code> .....	27	<code>\NewTaggingSocketPlug</code> .....	19
<b>B</b>		<b>P</b>	
box commands:		<code>\pmb</code> .....	2
<code>\box_use:N</code> .....	31, 35	<code>\ProvidesFile</code> .....	3
<code>\box_use_drop:N</code> .....	37	<b>R</b>	
box internal commands:		<code>\raise</code> .....	35
<code>\l__math_tmpa_box</code> ..	29, 31, 32, 35, 37	<code>\RegisterMathEnvironment</code> .....	6, 7, 13
<b>C</b>		<code>\RequirePackage</code> ..	11, 43, 44, 45, 46, 47, 48
cs commands:		<code>\rlap</code> .....	31, 35
<code>\cs_new:Npn</code> .....	16	<b>T</b>	
<b>D</b>		tag commands:	
<code>\def</code> .....	28	<code>\tag_mc_begin:n</code> .....	21, 25
<b>E</b>		<code>\tag_mc_end:</code> .....	21, 24
<code>\ExplSyntaxOff</code> .....	42	<code>\tag_mc_reset_box:N</code> .....	22
<code>\ExplSyntaxOn</code> .....	15	<code>\tagpdfparaOff</code> .....	8, 9
<b>H</b>		TEX and L <sup>A</sup> T <sub>E</sub> X 2 <sub>ε</sub> commands:	
hbox commands:		<code>\bm@pmb@@</code> .....	28
<code>\hbox_set:Nn</code> .....	29	<code>\dimen@</code> .....	30, 34, 35, 36
<b>K</b>		<code>\m@th</code> .....	29
<code>\kern</code> .....	34, 36	<code>\tw@</code> .....	30
<b>M</b>		<b>U</b>	
math internal commands:		<code>\UseTaggingSocket</code> .....	32
<code>\__math_patch_bm_pmb:</code> .....	16, 41	<b>W</b>	
		<code>\wd</code> .....	30