

Y. B.

## L<sup>A</sup>T<sub>E</sub>X Class yb-book\*

Yegor Bugayenko  
yegor256@gmail.com

0000-00-00, 0.7.0

### 1 Introduction

The provided class yb-book helps me design [my books](#) and publish them [on Amazon](#). You are welcome to use it for your own books. It is as simple as this:

```
\documentclass{yb-book}
\renewcommand*\thetitle{New Book About OOP}
\renewcommand*\theauthor{Jeff Lebowski}
\renewcommand*\thevolume{1}
\renewcommand*\theversion{1.0}
\begin{document}
\ybPrintTitlePage
\chapter{First One}
\section{About Something Interesting}
Hello, world!
\end{document}
```

You are welcome to suggest additional options and commands, but the style of my books is intentionally as simple as possible, avoiding formatting as much as possible. Here is [why](#).

### 2 Options

There are a few class options you can use:

**compact** Use this package option when you need to make text more compact and take less vertical space. This may be convenient for fiction books. I use this option to render [Code Ahead](#) book.

**sparse** With this package option every section will start from a new page.

---

\*The sources are in GitHub at [yegor256/yb-book.cls](#)

**manuscript** When the format is not for Amazon printing, but for some other purposes (the page size is A4), this option may be convenient. I also use it when I want the book to be rendered for printing on paper for review purposes.

**authordraft** When it's a draft for reviewers (the page size is A4) and you want to have a watermark and a compact form of the content. This option goes together with `\thereviewer{}` command, which you may redefine, in order to embed the name of the reviewer in the watermark. This may help you prevent theft of your book:

```
\documentclass[authordraft]{yb-book}
\renewcommand*\thereviewer{Walter Sobchak}
\begin{document}
Hello, world!
\end{document}
```

### 3 Meta Commands

There are a number of commands that you may redefine in the preamble:

```
\documentclass{yb-book}
\newcommand*\thetitle{My New Book About OOP}
\newcommand*\theauthor{Yegor Bugayenko}
\newcommand*\thevolume{1}
\newcommand*\thedata{24 Feb 2022}
\newcommand*\theversion{1.4}
\newcommand*\thereviewer{Jeff Lebowski}
\begin{document}
... the content goes here ...
\end{document}
```

### 4 Printers

There are a number of printers — commands that print large blocks of text in the expected format:

**\ybPrintTitlePage** Prints the first page of a book. It expects at least `\thetitle` and `\theauthor` to be defined:

```
\documentclass{yb-book}
\renewcommand*\thetitle{My New Book}
\renewcommand*\theauthor{Yegor Bugayenko}
\begin{document}
\ybPrintTitlePage
.. the rest of the book goes here
\end{document}
```

**\ybPrintTOC** Prints the table of contents.

**\ybQuote** Prints a side quote:

```
\documentclass{yb-book}
\begin{document}
Hello, world!
```

```

\ybQuote{Never tell the truth to people who
are not worthy of it}{Mark Twain}{ }
\end{document}

```

`\ybPrintBibliography` Prints the list of bib references.

`\ybPrintIndex` Prints index with an optional name of the section (instead of “Index”):

```

\documentclass{yb-book}
\begin{document}
Hello, world!
\ybPrintIndex{Recommended Books}
\end{document}

```

## 5 Implementation

First, we parse package options:

```

1 \RequirePackage{pgfopts}
2 \pgfkeys{
3   /yb/.cd,
4   apa/.store in=\yb@apa,
5   authordraft/.store in=\yb@authordraft,
6   compact/.store in=\yb@compact,
7   manuscript/.store in=\yb@manuscript,
8   colored/.store in=\yb@manuscript,
9   sparse/.store in=\yb@sparse,
10 }
11 \ProcessPgfpPackageOptions{/yb}

```

Then, depending on the options like `authordraft` and `manuscript`, we preset options of the class `book` and then load it:

```

12 \makeatletter
13 \ifdefined\yb@authordraft
14   \PassOptionsToClass{11pt}{book}
15   \PassOptionsToClass{oneside}{book}
16 \else
17   \ifdefined\yb@manuscript
18     \PassOptionsToClass{12pt}{book}
19     \PassOptionsToClass{oneside}{book}
20   \else
21     \PassOptionsToClass{11pt}{book}
22     \PassOptionsToClass{twoside}{book}
23   \fi
24 \fi
25 \makeatother
26 \LoadClass{book}

```

Then, we load [href-ul](#) to underline links correctly:

```

27 \RequirePackage{href-ul}

```

Then, we load [cleveref](#) for the `\cref` command:

```

28 \PassOptionsToPackage{capitalize}{cleveref}
29 \RequirePackage{amsmath}
30 \RequirePackage{cleveref}
31 \crefformat{section}{\S#2#1#3}

```

Then, we load [inputenc](#) for UTF-8 encoding of the sources, but only under pdfTeX (XeTeX and LuaTeX already handle UTF-8 natively):

```
32 \RequirePackage{iftex}
33 \ifPDFTeX
34   \PassOptionsToPackage{utf8}{inputenc}
35   \RequirePackage{inputenc}
36 \fi
```

`geometry` Then, using `geometry`, we setup page layout:

```
37 \RequirePackage{geometry}
38 \geometry{
39   paperwidth=6in, paperheight=9in,
40   bindingoffset=0.25in,
41   left=0.75in, right=0.75in, top=0.75in, bottom=1.25in}
42 \makeatletter
43 \ifdefined\yb@authordraft
44   \geometry{a4paper, margin=1in, left=1.5in}
45 \else
46   \ifdefined\yb@manuscript
47     \geometry{a4paper, margin=1.2in}
48   \fi
49 \fi
50 \makeatother
```

Then, we load [anyfontsize](#) to enable all sizes of fonts:

```
51 \RequirePackage{anyfontsize}
```

Then, we load [tikz](#) for graphics:

```
52 \RequirePackage{tikz}
53 \usetikzlibrary{positioning}
54 \usetikzlibrary{shapes}
55 \usetikzlibrary{fit}
```

Then, we load [chngcntr](#) for something else:

```
56 \RequirePackage{chngcntr}
57 \counterwithout{footnote}{chapter}
```

Then, we load [lastpage](#) to enable rendering of the last page number:

```
58 \RequirePackage{lastpage}
```

Then, we load [paralist](#) for inline enumeration:

```
59 \RequirePackage{paralist}
```

Then, we load [xcolor](#) for colors:

```
60 \RequirePackage{xcolor}
```

Then, we load [graphicx](#) to enable graphic files inclusion:

```
61 \RequirePackage{graphicx}
```

Then, we load [enumitem](#) for inline enumeration:

```
62 \PassOptionsToPackage{inline}{enumitem}
63 \RequirePackage{enumitem}
64 \setlist{nosep}
```

Then, we load [float](#) for floating figures:

```
65 \RequirePackage{float}
```

Then, we load `xfp` and `xifthen` for if-then-else:

```
66 \RequirePackage{xfp}
67 \RequirePackage{xifthen}
```

Then, we load `csquotes` for better rendering:

```
68 \PassOptionsToPackage{autostyle=try}{csquotes}
69 \RequirePackage{csquotes}
```

`\pagestyle` Then, we set the layout of a page to plain:

```
70 \pagestyle{plain}
```

`setspace` Then, using `setspace` package we set the spacing between lines in the text, depending on the package options:

```
71 \RequirePackage{setspace}
72 \setstretch{1.2}
73 \makeatletter
74 \ifdefined\yb@compact\setstretch{1.0}\fi
75 \ifdefined\yb@manuscript\setstretch{1.1}\fi
76 \ifdefined\yb@authordraft\setstretch{1.4}\fi
77 \makeatother
```

`biblatex` Then, we configure `biblatex`, for citation management:

```
78 \PassOptionsToPackage{indexing=cite,
79   natbib=true,maxnames=2,minnames=1,doi=true,
80   url=false,isbn=false}{biblatex}
81 \makeatletter
82 \ifdefined\yb@apa
83   \PassOptionsToPackage{style=authoryear}{biblatex}
84 \else
85   \PassOptionsToPackage{style=numeric}{biblatex}
86 \fi
87 \makeatother
88 \RequirePackage{doi}
89 \RequirePackage{biblatex}
90 \DeclareCiteCommand{\citetitle}
91   {\boolfalse{citetracker}%
92    \boolfalse{pagetracker}%
93    \usebibmacro{prenote}}
94   {\ifcindex
95     {\indexnames{labelname}}
96     {}%
97    \printfield[citetitle]{labeltitle}}
98   {\multicitedelim}
99   {\usebibmacro{postnote}}
100 \DeclareCiteCommand*{\citetitle}
101   {\boolfalse{citetracker}%
102    \boolfalse{pagetracker}%
103    \usebibmacro{prenote}}
104   {\ifcindex
105     {\indexnames{labelname}}
106     {}%
107    \printfield[citetitle]{title}}
108   {\multicitedelim}
109   {\usebibmacro{postnote}}
```

condensed Then, we define condensed environment for snippets:

```
110 \newenvironment{condensed}
111   {\begingroup\setstretch{1.0}}
112   {\endgroup}
```

microtype Then, we include microtype for better rendering:

```
113 \makeatletter
114 \ifdefined\yb@authordraft
115   \PassOptionsToPackage{nopatch=footnote}{microtype}
116 \else
117   \PassOptionsToPackage{nopatch=footnote,protrusion=true}{microtype}
118 \fi
119 \makeatother
120 \RequirePackage{microtype}
```

\section Then, we redefine \section command:

```
121 \makeatletter
122 \let\yb@oldsection\section
123 \def\yb@secstart{\ifdefined\yb@sparse\newpage\fi}
124 \ifdefined\yb@authordraft
125   \PassOptionsToPackage{medium}{titlesec}
126   \RequirePackage{titlesec}
127 \else
128   \PassOptionsToPackage{raggedright}{titlesec}
129   \RequirePackage{titlesec}
130   \titlespacing{\section}{0em}{1em}{1em}[3em]
131   \renewcommand\section{\yb@secstart\yb@oldsection}
132 \fi
133 \ifdefined\yb@compact
134   \renewcommand\section{\yb@secstart\vspace{2em}\yb@oldsection}
135 \fi
136 \makeatother
```

Then, if it's a authordraft, we put a watermark comment:

```
137 \makeatletter
138 \ifdefined\yb@authordraft
139   \PassOptionsToPackage{absolute}{textpos}
140   \RequirePackage{textpos}
141   \TPGrid{16}{16}
142   \RequirePackage{fancyhdr}
143   \pagestyle{fancy}
144   \renewcommand\headrulewidth{0em}
145   \renewcommand\footrulewidth{0em}
146   \setlength{\headheight}{3em}
147   \fancyhf{}
148   \fancyhead[L,C,LO,CO]{}
149   \fancyhead[R,RO]{
150     \begin{textblock}{16}[0.5,0.5](8,8)%
151       \tikz \node[minimum width=16\TPHorizModule] {%
152         \fontsize{64}{64}\selectfont\bfseries%
153         \rotatebox{45}{
154           \tikz \node
155             [fill=gray!6, font=\ttfamily\color{white}]
156             {it is a draft};%

```

```

157     }%
158   };%
159   \end{textblock}%
160   \begin{textblock}{4}(11.5,1)%
161     \tikz \node [color=gray, rotate=270,
162       font=\ttfamily\scriptsize, text width=24em] at (0,0) {%
163       Copyright \textcopyright{} \the\year{} by \theauthor{}.
164       All rights reserved. No part of the contents of
165       this book may be reproduced or transmitted in any
166       form or by any means without the written permission
167       of the publisher. This particular manuscript is
168       printed for \textbf{\thereviewer{}} and may be used only
169       for one-time review. The manuscript has to be destroyed
170       after the review.%
171     };
172   \end{textblock}
173 }
174 \fancyfoot[C,CO,C]{\small\ttfamily%
175   page \thepage{} of \pageref{LastPage}}
176 \fi
177 \makeatother

```

`\maketitle` Then, we redefine `\maketitle` command:

```

178 \renewcommand\maketitle{
179   {\LARGE\textbf{\thetitle}}
180   \[1em]
181   by \theauthor{}
182   \[4em]
183   \ifx\thevolume\empty\else%
184     Volume \thevolume{}\[1em]
185   \fi
186   \ifx\thedata\empty\else%
187     Rendered on \thedata{}
188   \fi
189   \ifx\theversion\empty\else%
190     \[1em]
191     Ver. \theversion{}
192   \fi
193 }

```

`\ybPrintTitlePage` Then, we define `\ybPrintTitlePage` command:

```

194 \makeatletter
195 \newcommand\ybPrintTitlePage{
196   \ifdefined\yb@authordraft\else
197     \begin{titlepage}
198       \ttfamily
199       \vspace*{\fill}
200       \noindent
201       {\Huge\thetitle}
202       \[1em]
203       by \theauthor{}
204       \[4em]
205       \ifx\thevolume\empty\else%
206         Volume \thevolume{}\[1em]

```

```

207     \fi
208     \ifx\thedata\empty\else%
209         \thedata{}
210     \fi
211     \ifx\thedata\empty\else%
212         \\\
213         \theversion{}
214     \fi
215     \vspace*{\fill}
216 \end{titlepage}
217 \fi
218 }
219 \makeatother

```

\ybPrintTOC Then, we define ybPrintTOC command to print table of contents:

```

220 \makeatletter
221 \newcommand\ybPrintTOC{%
222     \ifdefined\yb@authordraft\else%
223         \ifdefined\yb@compact\else\cleardoublepage\fi%
224         {\setstretch{0.7}\tableofcontents}%
225     \fi%
226 }
227 \makeatother

```

\ybPrintIndex Then, we configure imakeidx package and define \ybPrintIndex command:

```

228 \RequirePackage{imakeidx}
229 \renewbibmacro*{citeindex}{\indexnames{labelname}{}}
230 \makeindex
231 \indexsetup{othercode={\hyphenpenalty=10000}}
232 \makeatletter
233 \newcommand\ybPrintIndex[1][Index]{%
234     \ifdefined\yb@authordraft\else%
235         \ifdefined\yb@compact\else\cleardoublepage\fi%
236         {%
237             \setstretch{1.0}%
238             \small%
239             \addcontentsline{toc}{chapter}{#1}%
240             \printindex%
241         }%
242     \fi%
243 }
244 \makeatother

```

\ybQuote Then, with the help of wrapfig and mdframed, we define \ybQuote command:

```

245 \RequirePackage{wrapfig}
246 \RequirePackage{mdframed}
247 \RequirePackage{changepage}
248 \strictpagecheck
249 \mdfdefinestyle{quoteodd}{backgroundcolor=black!0,
250     leftmargin=1em,rightmargin=0em,
251     innerleftmargin=1em,innerrightmargin=0em,
252     innertopmargin=0em,innerbottommargin=0em,
253     skipabove=0em,skipbelow=0em,
254     linewidth=.2em,

```



```

255 topline=false,bottomline=false,rightline=false}
256 \mdfdefinestyle{quoteeven}{backgroundcolor=black!0,
257   rightmargin=1em,leftmargin=0em,
258   innerrightmargin=1em,innerleftmargin=0em,
259   innertopmargin=0em,innerbottommargin=0em,
260   skipabove=0em,skipbelow=0em,
261   linewidth=.2em,
262   topline=false,bottomline=false,leftline=false}
263 \makeatletter
264 \newcommand\ybQuote[3]{%
265   \ifthenelse{\isempty{#3}}{%-
266     \ifx\hfuzz#2\hfuzz%
267       \index{#3}%
268     \else%
269       \index{#3, #2}%
270     \fi%
271   }%
272   \def\yb@body{%
273     \raggedright%
274     \ifx\hfuzz#3\hfuzz%
275       #1%
276     \else%
277       ‘‘#1’’\\raggedleft---#2 #3%
278     \fi%
279   }
280   \ifdefined\yb@authordraft%
281     \begin{wrapfigure}{r}{0.4\textwidth}%
282       \begin{mdframed}[style=quoteodd]%
283         \yb@body%
284       \end{mdframed}%
285     \end{wrapfigure}%
286   \else%
287     \begin{wrapfigure}{o}[2em]{0.4\textwidth}%
288       \sffamily\checkoddpage%
289       \ifoddpage%
290         \begin{mdframed}[style=quoteodd]\yb@body\end{mdframed}%
291       \else%
292         \begin{mdframed}[style=quoteeven]\yb@body\end{mdframed}%
293       \fi%
294       \vspace{-2em}
295     \end{wrapfigure}%
296   \fi%
297 }
298 \makeatother

```

Then, we use and configure footmisc as suggested [here](#):

```

299 \RequirePackage{perpage}
300 \PassOptionsToPackage{bottom,perpage,multiple}{footmisc}
301 \RequirePackage{footmisc}
302 \makeatletter
303 \let\yb@oldfootnote\footnote
304 \newcommand\yb@nexttoken\relax
305 \newcommand\yb@isfootnote{%
306   \ifx\footnote\yb@nexttoken\textsuperscript{,}\fi}

```

```

307 \renewcommand\footnote[1]{%
308   \yb@oldfootnote{#1}\futurelet\yb@nexttoken\yb@isfootnote}
309 \makeatother

```

\ybPrintBibliography Then, we define \ybPrintBibliography, to print a list of references:

```

310 \makeatletter
311 \newcommand\ybPrintBibliography[1][Bibliography]{%
312   \AtNextBibliography{\small}%
313   \raggedright%
314   \ifdefined\yb@manuscript%
315     \setlength\bibitemsep{0em}%
316     \newpage%
317     \begin{multicols}{2}%
318       {\setstretch{1.0}\printbibliography}%
319     \end{multicols}%
320   \else%
321     \setlength\bibitemsep{.2em}%
322     \ifdefined\yb@compact\@openrightfalse\fi%
323     \@openrightfalse%
324     \printbibliography[heading=bibintoc,title={#1}]%
325     \ifdefined\yb@compact\@openrighttrue\fi%
326   \fi%
327 }
328 \makeatother

```

\highlight Then, we define the \highlight command:

```

329 \newcommand\highlight[1]{%
330   \tikz[baseline=(text.base)] {
331     \node[inner sep=0em, outer sep=0em] (text) {%
332       {\ifdefined\yb@colored\color{orange}\fi#1}};
333     \begin{scope}
334       \path[use as bounding box] (text.east) rectangle (text.west);
335       \draw[decorate,
336         decoration={random steps, amplitude=0.05em, segment length=0.3em},
337         line join=round,
338         line cap=round,
339         line width=.08em,
340         draw=gray!80] ($(text.west) + (-0.2em, -.46em)$) rectangle ($(text.east) + (+0.2em, -
341       \end{scope}
342     }%
343 }

```

Then, a few layout configurations at the beginning of the document:

```

344 \makeatletter
345 \AtBeginDocument{%
346   \raggedbottom%
347   \ifdefined\yb@authordraft%
348     \raggedright%
349   \fi%
350   \setlength\topskip{0em}%
351   \setlength\parindent{0em}%
352   \setlength\fbboxsep{0em}%
353   \setlength\parskip{.5em}%
354   \exhyphenpenalty=10000% to avoid line breaks before and after mdash

```

```

355 \widowpenalty=10000% to have less widows
356 \clubpenalty=10000% to have less orphans
357 \interfootnotelinepenalty=10000% to format footnotes better
358 }
359 \makeatother

```

Finally, a few meta commands with default values:

```

360 \newcommand*\thetitle{\textbackslash{}thetitle}
361 \newcommand*\thevolume{}
362 \newcommand*\thedate{}
363 \newcommand*\theversion{\textbackslash{}theversion}
364 \newcommand*\theauthor{\textbackslash{}theauthor}
365 \newcommand*\thereviewer{\textbackslash{}thereviewer}
366
367 \endinput

```

## Change History

v0.1.0		v0.6.0	
General: Initial version . . . . .	3	General: The <code>apa</code> package option added, to enable APA citation style. . . . .	3
v0.2.0		v0.6.2	
General: Started using <code>l3build</code> . . . . .	3	<code>\ybPrintBibliography</code> : The <code>\ybPrintBibliography</code> command has an optional argument, which is the title of the chapter. . . . .	10
v0.3.0		v0.6.6	
General: The <code>pgfopts</code> package is now used to parse package options. . . . .	3	General: Penalties for widows and clubs specified. . . . .	10
v0.4.0		v0.7.0	
<code>authordraft</code> : The package option <code>draft</code> renamed to <code>authordraft</code> . . . . .	2	General: Added <code>cleveref</code> package for the <code>\cref</code> command. . . . .	3
v0.5.0		The <code>colored</code> package option added, to enable colors. . . . .	3
General: The <code>sparse</code> package option added, to place every section in a new page. . . . .	3	<code>\highlight</code> : The <code>\highlight</code> command was added. . . . .	10
v0.5.1			
General: Added the usage of <code>inputenc</code> in order to ensure UTF-8 encoding for the sources. . . . .	4		

# Index

Numbers written in *italic* refer to the page where the corresponding entry is described; numbers underlined refer to the code line of the definition; numbers in *roman* refer to the code lines where the entry is used.

<b>Symbols</b>	<code>\futurelet</code> . . . . . 308	<code>\mdfdefinestyle</code> 249, 256
<code>\@openrightfalse</code> 322, 323		<code>\microtype</code> . . . . . 113
<code>\@openrighttrue</code> . . . 325	<b>G</b>	<code>\multicitedelim</code> . 98, 108
<code>\</code> . . 180, 182, 184, 190, 202, 204, 206, 212, 277	<code>\geometry</code> . . 37, 38, 44, 47	
<b>A</b>	<b>H</b>	<b>N</b>
<code>\addcontentsline</code> . . 239	<code>\headheight</code> . . . . . 146	<code>\newpage</code> . . . . . 123, 316
Amazon . . . . . 1	<code>\headrulewidth</code> . . . . 144	<code>\node</code> . . . 151, 154, 161, 331
<code>\AtBeginDocument</code> . . 345	<code>\hfuzz</code> . . . . . 266, 274	<code>\noindent</code> . . . . . 200
<code>\AtNextBibliography</code> 312	<code>\highlight</code> . . . . . 329	
<code>\authordraft</code> . . . . . 1	<code>\Huge</code> . . . . . 201	<b>P</b>
	<code>\hyphenpenalty</code> . . . . 231	<code>\pageref</code> . . . . . 175
<b>B</b>	<b>I</b>	<code>\pagestyle</code> . . . . . 70, 143
<code>\bfseries</code> . . . . . 152	<code>\ifciteindex</code> . . . . 94, 104	<code>\parindent</code> . . . . . 351
<code>\bibitemsep</code> . . . . 315, 321	<code>\ifdefined</code> . . . 13, 17, 43, 46, 74, 75, 76, 82, 114, 123, 124, 133, 138, 196, 222, 223, 234, 235, 280, 314, 322, 325, 332, 347	<code>\parskip</code> . . . . . 353
<code>\biblatex</code> . . . . . 78	<code>\ifoddpage</code> . . . . . 289	<code>\PassOptionsToClass</code> . . 14, 15, 18, 19, 21, 22
<code>\boolfalse</code> 91, 92, 101, 102	<code>\ifPDFTeX</code> . . . . . 33	<code>\PassOptionsToPackage</code> . . . . . 28, 34, 62, 68, 78, 83, 85, 115, 117, 125, 128, 139, 300
<b>C</b>	<code>\ifthenelse</code> . . . . . 265	<code>\path</code> . . . . . 334
<code>\checkoddpage</code> . . . . 288	<code>\ifx</code> . 183, 186, 189, 205, 208, 211, 266, 274, 306	<code>\pgfkeys</code> . . . . . 2
<code>\citestyle</code> . . . . . 90, 100	<code>\index</code> . . . . . 267, 269	<code>\printbibliography</code> . . . . . 318, 324
<code>\cleardoublepage</code> 223, 235	<code>\indexnames</code> . . 95, 105, 229	<code>\printfield</code> . . . . . 97, 107
<code>\clubpenalty</code> . . . . . 356	<code>\indexsetup</code> . . . . . 231	<code>\printindex</code> . . . . . 240
<code>\color</code> . . . . . 155, 332	<code>\interfootnotelinepenalty</code> . . . . . 357	<code>\ProcessPgfPackageOptions</code> . . . . . 11
<code>\compact</code> . . . . . 1	<b>L</b>	<b>R</b>
<code>\condensed</code> . . . . . 110	<code>\LARGE</code> . . . . . 179	<code>\raggedbottom</code> . . . . . 346
<code>\counterwithout</code> . . . . 57	<code>\LoadClass</code> . . . . . 26	<code>\raggedleft</code> . . . . . 277
<code>\crefformat</code> . . . . . 31		<code>\raggedright</code> 273, 313, 348
<b>D</b>		<code>\relax</code> . . . . . 304
<code>\DeclareCiteCommand</code> . . . . . 90, 100	<b>M</b>	<code>\renewbibmacro</code> . . . . 229
<code>\draw</code> . . . . . 335	<code>\makeatletter</code> . . . . . 12, 42, 73, 81, 113, 121, 137, 194, 220, 232, 263, 302, 310, 344	<code>\renewcommand</code> . . 131, 134, 144, 145, 178, 307
<b>E</b>	<code>\makeatother</code> . . . . . 25, 50, 77, 87, 119, 136, 177, 219, 227, 244, 298, 309, 328, 359	<code>\RequirePackage</code> . . . . . 1, 27, 29, 30, 32, 35, 37, 51, 52, 56, 58, 59, 60, 61, 63, 65, 66, 67, 69, 71, 88, 89, 120, 126, 129, 140, 142, 228, 245, 246, 247, 299, 301
<code>\endinput</code> . . . . . 367	<code>\makeindex</code> . . . . . 230	<code>\rotatebox</code> . . . . . 153
<code>\exhyphenpenalty</code> . . 354	<code>\maketitle</code> . . . . . 178	<b>S</b>
<b>F</b>	<code>\manuscript</code> . . . . . 1	<code>\S</code> . . . . . 31
<code>\fancyfoot</code> . . . . . 174		
<code>\fancyhead</code> . . . . 148, 149		
<code>\fancyhf</code> . . . . . 147		
<code>\fboxsep</code> . . . . . 352		
<code>\fill</code> . . . . . 199, 215		
<code>\fontsize</code> . . . . . 152		
<code>\footnote</code> . . 303, 306, 307		
<code>\footrulewidth</code> . . . . 145		

<code>\scriptsize</code> . . . . .	162	<code>\thepage</code> . . . . .	175	<code>\yb@authordraft</code> . . .	
<code>\section</code> . . . . .	121	<code>\thereviewer</code> . . .	168, 365	. . . . .	5, 13, 43,
<code>\selectfont</code> . . . . .	152	<code>\thetitle</code> . . .	179, 201, 360	76, 114, 124, 138,	
<code>\setlength</code> . . .	146, 315,	<code>\theversion</code> . . . . .		196, 222, 234, 280, 347	
321, 350, 351, 352, 353		. . .	189, 191, 213, 363	<code>\yb@body</code> . . . . .	272, 283, 290, 292
<code>\setlist</code> . . . . .	64	<code>\thevolume</code> . . . . .		<code>\yb@colored</code> . . . . .	332
<code>\setspace</code> . . . . .	71	183, 184, 205, 206, 361		<code>\yb@compact</code> . . . . .	6, 74,
<code>\setstretch</code> . . .	72, 74, 75,	<code>\tikz</code> . . .	151, 154, 161, 330	133, 223, 235, 322, 325	
76, 111, 224, 237, 318		<code>\titlespacing</code> . . . . .	130	<code>\yb@isfootnote</code> . . .	305, 308
<code>\sffamily</code> . . . . .	288	<code>\topskip</code> . . . . .	350	<code>\yb@manuscript</code> . . . .	
<code>\small</code> . . . . .	174, 238, 312	<code>\TPGrid</code> . . . . .	141	. . .	7, 8, 17, 46, 75, 314
<code>\sparse</code> . . . . .	1	<code>\TPHorizModule</code> . . . . .	151	<code>\yb@nexttoken</code> . . . .	304, 306, 308
<code>\strictpagecheck</code> . .	248	<code>\ttfamily</code> . . . . .	155, 162, 174, 198	<code>\yb@oldfootnote</code> . . . .	303, 308
<b>T</b>		<b>U</b>		<code>\yb@oldsection</code> . . . .	
<code>\tableofcontents</code> . .	224	<code>\usebibmacro</code> . . . . .	93, 99, 103, 109	. . . . .	122, 131, 134
<code>\textbackslash</code> . . . .		<code>\usetikzlibrary</code> . . .	53, 54, 55	<code>\yb@secstart</code> . . . . .	123, 131, 134
. . .	360, 363, 364, 365	<b>V</b>		<code>\yb@sparse</code> . . . . .	9, 123
<code>\textbf</code> . . . . .	168, 179	<code>\vspace</code> . . .	134, 199, 215, 294	<code>\ybPrintBibliography</code>	
<code>\textcopyright</code> . . . .	163	<b>W</b>		. . . . .	1, 310
<code>\textsuperscript</code> . .	306	<code>\widowpenalty</code> . . . . .	355	<code>\ybPrintIndex</code> . . . .	1, 228
<code>\textwidth</code> . . . .	281, 287	<b>Y</b>		<code>\ybPrintTitlePage</code> . .	1, 194
<code>\the</code> . . . . .	163	<code>\yb@apa</code> . . . . .	4, 82	<code>\ybPrintTOC</code> . . . . .	1, 220
<code>\theauthor</code> . . . . .	163, 181, 203, 364	<b>Y</b>		<code>\ybQuote</code> . . . . .	1, 245
<code>\thedata</code> . . . . .	186,			<code>\year</code> . . . . .	163
187, 208, 209, 211, 362					